



Flinky Technology Co., Limited

www.flinkytech.com



Your Vision, our Visual Solution!

Shelf Display Specification



Item	Parameter
CPU	S500,ARM Cortex-A9 R4,28nm
RAM / Memory	1GB / 8GB
Memory	8GB
Operation System	Android 5.1.1
LCD Display	23.1" HD Shelf Display
Resolution	1920*158
Visual Area	585.6(H)*48.19mm(V)
Visual Angle	89/89/89/89(Front/Below/Left/Right)
Display Mode	Black,IPS
Contrast Ratio	3000
Brightness	500cd/s.qm
Wifi	802.11b/g/n
Ethernet	10M/100M Internet Access

Item	Parameter
Bluetooth	Bluetooth V4.0 of 1, 2 and 3 Mbps. FHSS, GFSK, DPSK, DQPSK
Mibi USBx2	USB OTG, USB Host
Supply Hub(TYPE-C)	DC 12V Power Input
Deck	One PUSH-PUSH TF
Video Format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
Voice Format	MP3/WMA/AAC etc.
Picture Format	Support JPG、 BMP、 PNG、 GIF...4096*4096(Max.Rsolution)
VESA	Wall-mounted Supported
OSD Language	Multiple Languages OSD Operated
Working Temperature	-10 ~ 50C
Power/AC Power Adapter	20W / 12V/2A

Our Quality is your Savings!



● **THANKS**

Sky, with 8 years experience in LED field, outgoing, patient, honest, humourous.



Contact Person: Sky
Mob.: 008613147082198
sky@flinkytech.com
www.flinkytech.com